

**Amendments to the Claims:**


This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of the Claims:**

**1-10 (Cancelled)**

**11. (Currently Amended):** A microemulsion comprising:

(A) 0.5 to 70% by weight of the alkanolammonium salts of alkylsulfates and alkylpolyalkyleneglycolethersulfates having the structure:



wherein

$R^1$  is a C<sub>8</sub>- to C<sub>20</sub>-hydrocarbon residue,

$p$  is an integer from 2 to 5, wherein  $p$  can be different for each  $m$ ,

$R^2$  is H, a C<sub>1</sub>- to C<sub>6</sub>-alkyl, or a C<sub>2</sub>- to C<sub>4</sub>-hydroxyalkyl,

$R^3$  is H, a C<sub>1</sub>- to C<sub>6</sub>-alkyl, or a C<sub>2</sub>- to C<sub>4</sub>-hydroxyalkyl,

$R^4$  is a C<sub>2</sub>- to C<sub>4</sub>-hydroxyisopropylalkyl, and

$m$  is an integer from 0 to 7,

and mixtures thereof;

(B) 20 to 95% by weight water;

(C) 0.1 to 20% by weight of at least one oil component; and

(D) 0.1 to 20% by weight of at least one mono- or polyvalent C<sub>2</sub>- to C<sub>24</sub>-alcohol,

each based on the total composition of the microemulsion.

12. **(Previously Presented):** The microemulsion according to claim 11, wherein the alkanolammonium salts of the alkylsulfates and/or alkylpolyalkyleneglycolethersulfates comprise the following residue or indices:

R<sup>1</sup> is a linear or saturated C<sub>12</sub>- to C<sub>16</sub>-alkyl residue,

p is 2 or 3, wherein p can be different for each m,

R<sup>2</sup> is H or hydroxyisopropyl,

R<sup>3</sup> is H or hydroxyisopropyl,

R<sup>4</sup> is hydroxyisopropyl, and

m is an integer from 0 to 2.

13. **(Previously Presented):** The microemulsion according to any one of claims 11 and 12, wherein the microemulsion contains component

(A) in an amount of 2 to 60% by weight,

(B) in an amount of 30 to 80% by weight,

(C) in an amount of 0.5 to 15% by weight, and

(D) in an amount of 0.1 to 9% by weight.

14. **(Previously Presented):** The microemulsion according to any one of claims 11 and 12, further containing at least one of the following components:

(E) 0 to 20% by weight of at least one surfactant,

(F) 0 to 20% by weight of at least one electrolyte, and

(G) 0 to 10% by weight of at least one additive, wherein (F) and (G) are exclusive of any ionic surfactant.

15. **(Previously Presented):** The microemulsion according to claim 14, containing at least one of the following components:

- (E) at least one additional surfactant comprising a triglyceride alkoxylated with ethyleneoxide and/or propyleneoxide and at least partially esterified with a C<sub>6</sub>- to C<sub>22</sub>-fatty acid, and
- (G) at least one additive comprising a poly(C<sub>2</sub>- to C<sub>4</sub>-)alkyleneglycol having a molecular weight of up to 1,500 g/mole.


16. **(Previously Presented):** The microemulsion according to any one of claims 11 and 12, wherein the oil component (C) contains one or more components selected from the group consisting of lecithins; mono-, di-, and/or triglycerides of saturated and/or unsaturated, branched and/or linear carboxylic acids having chain lengths of from 8 to 24 carbon atoms; branched and/or linear hydrocarbons; waxes; petroleum jelly; paraffin oils; polyolefins; silicone oils; esters of saturated, unsaturated, and/or aromatic, branched and/or linear carboxylic acids having chain lengths of from 3 to 30 carbon atoms; and saturated and/or unsaturated, branched and/or linear alcohols having chain lengths of from 3 to 30 carbon atoms.

17. **(Previously Presented):** The microemulsion according to any one of claims 11 and 12, characterized in that the microemulsion is a stable and transparent emulsion, the disperse phase thereof having an average particle size of less than 100 nm.

18-19. **(Canceled)**

20. **(New)** A microemulsion consisting essentially of:

- (A) 0.5 to 70% by weight alkanolammonium salts of the alkylsulfates and/or alkyl-polyalkyleneglycolethersulfates having the structure:



wherein

R<sup>1</sup> is a C<sub>8</sub>- to C<sub>20</sub>-hydrocarbon residue,

p is an integer from 2 to 5, wherein p can be different for each m,

R<sup>2</sup> is H, a C<sub>1</sub>- to C<sub>6</sub>-alkyl, or hydroxyisopropyl,

R<sup>3</sup> is H, a C<sub>1</sub>- to C<sub>6</sub>-alkyl, or to C<sub>4</sub>-hydroxyisopropyl,

R<sup>4</sup> is a hydroxyisopropyl, and

m is an integer from 0 to 7,

and mixtures thereof;

- (B) 20 to 95% by weight water, and

- (C) 0.1 to 20% by weight one or more oil component(s), and

- (D) 0.1 to 20% by weight of one or more mono- or polyvalent C<sub>2</sub>- to C<sub>24</sub>-alcohol(s),

and optionally

(E) 0 to 20% by weight of one or more additional surfactant(s)

(F) 0 to 20% by weight of one or more electrolyte(s), and

(G) 0 to 10% by weight of one or more additive(s)

each based on the total composition and

wherein no compound falls under two categories of (A) to (G) at the same time.